"Express Mail" mailing label number EL 500 983 197 US

Date of Deposit: EL 500 956 007 US

Our Case No. 5404/18

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Atsuhiko Shinmyo et al.

International Application No.
PCT/JP01/05096

International Filing Date: June 15, 2001

Title of Invention: METHOD OF INDUCING GENE EXPRESSION IN PLANT AND PLANT TREATED THEREBY

PRELIMINARY AMENDMENT

Attn: Box DO/EO/US
Commissioner for Patents
Washington, D.C. 20231

Dear Sir:

Preliminary to examination of the subject application, please amend the above-identified application as follows:

IN THE SPECIFICATION

Page 1, after the title, insert the following paragraph:

"RELATED APPLICATIONS

This application is a nationalization of PCT application PCT/JP01/05096 filed June 15, 2001. This application claims priority from the PCT application and Japan Application Serial No. 2000-180466 filed June 15, 2000.

IN THE CLAIMS

Please amend the claims as follows:

4. (Amended) The method according to Claim 1, wherein said autogenous regulatory factor is a butyrolactone autogenous regulatory factor.

5. (Amended) The method according to Claim 1, wherein said autogenous regulatory factor is virginiae butanolide.

6. (Amended) The method according to Claim 1, wherein said gene expression inducing system is involved in a production of an antibiotic.

7. (Amended) The method according to Claim 1, wherein said gene expression inducing system is involved in a production of virginiamycin.

8. (Amended) The method according to Claim 1, wherein said repressor gene is a barA gene.

9. (Amended) The method according to Claim 1, wherein said repressor gene contains a region comprising a nucleotide sequence shown under SEQ ID NO:1.

10. (Amended) The method according to Claim 1, wherein said repressor gene contains a region coding for an amino acid sequence shown under SEQ ID NO:2.

11. (Amended) The method according to Claim 1, wherein a promoter for said repressor gene is a plant promotor.

13. (Amended) The method according to Claim 1, wherein a nucleotide sequence of said operator is derived from a barA, barB or barX gene.

14. (Amended) The method according to Claim 1, wherein a nucleotide sequence of said operator is BARE-1, BARE-2 or BARE-3.

15. (Amended) The method according to Claim 1, wherein a nucleotide sequence of said operator is BARE-3.

16. (Amended) The method according to Claim 1, wherein the nucleotide sequence of said operator contains a region comprising a nucleotide sequence shown under SEQ ID NO:3.

17. (Amended) The method according to Claim 1, wherein a promoter for said gene placed under the control of the operator is a plant promoter.

19. (Amended) The method according to Claim 17, wherein said operator is disposed in at least one place in said plant promoter.

20. (Amended) The method according to Claim 17, wherein said operator is disposed in at least one place in the vicinity of a site 3' downstream or in the vicinity of a site 5' upstream of a TATA box of said plant promoter.

21. (Amended) The method according to Claim 17, wherein said operator is disposed, together with the TATA box of said plant promoter, in a manner shown under any of SEQ ID NO:4 through SEQ ID NO:7.

22. (Amended) The method according to Claim 1, wherein said gene placed under the control of the operator is a gene capable of providing the plant with fertility.

23. (Amended) A plant transformed by the method according to Claim 1.

24. (Amended) Tobacco (Nicotiana tabacum L.) transformed by the method according to Claim 1.

25. (Amended) A cultured plant cell transformed by the method according to Claim 1.

26. (Amended) A cultured tobacco cell transformed by the method according to Claim 1.

27. (Amended) A cultured tobacco BY2 cell transformed by the method according to Claim 1.

30. (Amended) The repressor gene according to Claim 28 wherein said repressor gene is a barA gene.

31. (Amended) The repressor gene according to Claim 28 wherein said repressor gene contains a region comprising a nucleotide sequence shown under SEQ ID NO:1.

32. (Amended) The repressor gene according to Claim 28 wherein said repressor gene contains a region coding for an amino acid sequence shown under SEQ ID NO:2.

35. (Amended) The modified promoter according to Claim 33, wherein a nucleotide sequence of said operator is BARE-1, BARE-2 or BARE-3.

36. (Amended) The modified promoter according to Claim 33, wherein the nucleotide sequence of said operator contains a region comprising a nucleotide sequence shown under SEQ ID NO:3.

37. (Amended) The modified promoter according to Claim 33, wherein said operator is disposed, together with the TATA box of said plant promoter, in a manner shown under any of SEQ ID NO:4 through SEQ ID NO:7.

REMARKS

The specification is amended to make record therein of the priorities claimed. The Claims are amended to reduce their number.

Respectfully submitted,

Richard G. Lione
Reg. No. 19,795
Attorney for Applicants

Date: Feb. 15, 2002

BRINKS HOFER GILSON & LIONE
P.O. Box 10395
Chicago, Illinois 60610
(312) 321-4200

APPENDIX A

Version With Markings to Show Changes Made

CLAIMS

4. (Amended) The method according to [any of] Claim[s] 1 [to 3], wherein said autogenous regulatory factor is a butyrolactone autogenous regulatory factor.

5. (Amended) The method according to [any of] Claim[s] 1 [to 3], wherein said autogenous regulatory factor is virginiae butanolide.

6. (Amended) The method according to [any of] Claim[s] 1 [to 5], wherein said gene expression inducing system is involved in a production of an antibiotic.

7. (Amended) The method according to [any of] Claim[s] 1 [to 5], wherein said gene expression inducing system is involved in a production of virginiamycin.

8. (Amended) The method according to [any of] Claim[s] 1 [to 7], wherein said repressor gene is a barA gene.

9. (Amended) The method according to [any of] Claim[s] 1 [to 8], wherein said repressor gene contains a region comprising a nucleotide sequence shown under SEQ ID NO:1.

10. (Amended) The method according to [any of] Claim[s] 1 [to 9], wherein said repressor gene contains a region coding for an amino acid sequence shown under SEQ ID NO:2.

11. (Amended) The method according to [any of] Claim[s] 1 [to 10], wherein a promoter for said repressor gene is a plant promotor.

13. (Amended) The method according to [any of] Claim[s] 1 [to 12], wherein a nucleotide sequence of said operator is derived from a barA, barB or barX gene.

14. (Amended) The method according to [any of] Claim[s] 1 [to 12], wherein a nucleotide sequence of said operator is BARE-1, BARE-2 or BARE-3.

15. (Amended) The method according to [any of] Claim[s] 1 [to 12], wherein a nucleotide sequence of said operator is BARE-3.

16. (Amended) The method according to [any of] Claim[s] 1 [to 15], wherein the nucleotide sequence of said operator contains a region comprising a nucleotide sequence shown under SEQ ID NO:3.

17. (Amended) The method according to [any of] Claim[s] 1 [to 16], wherein a promoter for said gene placed under the control of the operator is a plant promoter.

19. (Amended) The method according to Claim 17 [or 18], wherein said operator is disposed in at least one place in said plant promoter.

20. (Amended) The method according to Claim 17 [or 18], wherein said operator is disposed in at least one place in the vicinity of a site 3' downstream or in the vicinity of a site 5' upstream of a TATA box of said plant promoter.

21. (Amended) The method according to [any of] Claim[s] 17 [to 20], wherein said operator is disposed, together with the TATA box of said plant promoter, in a manner shown under any of SEQ ID NO:4 through SEQ ID NO:7.

22. (Amended) The method according to [any of] Claim[s] 1 [to 21], wherein said gene placed under the control of the operator is a gene capable of providing the plant with fertility.

23. (Amended) A plant transformed by the method according to [any of] Claim[s] 1 [to 22].

24. (Amended) Tobacco (Nicotiana tabacum L.) transformed by the method according to [any of] Claim[s] 1 [to 22].

25. (Amended) A cultured plant cell transformed by the method according to [any of] Claim[s] 1 [to 22].

26. (Amended) A cultured tobacco cell transformed by the method according to [any of] Claim[s] 1 [to 22].

27. (Amended) A cultured tobacco BY2 cell transformed by the method according to [any of] Claim[s] 1 [to 22].

30. (Amended) The repressor gene according to Claim 28 [or 29] wherein said repressor gene is a barA gene.

31. (Amended) The repressor gene according to [any of] Claim[s] 28 [to 30] wherein said repressor gene contains a region comprising a nucleotide sequence shown under SEQ ID NO:1.

32. (Amended) The repressor gene according to [any of] Claim[s] 28 [to 31] wherein said repressor gene contains a region coding for an amino acid sequence shown under SEQ ID NO:2.

35. (Amended) The modified promoter according to Claim 33 [or 34], wherein a nucleotide sequence of said operator is BARE-1, BARE-2 or BARE-3.

36. (Amended) The modified promoter according to [any of] Claim[s] 33 [to 35], wherein the nucleotide sequence of said operator contains a region comprising a nucleotide sequence shown under SEQ ID NO:3.

37. (Amended) The modified promoter according to [any of] Claim[s] 33 [to 36], wherein said operator is disposed, together with the TATA box of said plant promoter, in a manner shown under any of SEQ ID NO:4 through SEQ ID NO:7.

Sequence Listing

<110> Kaneka Corporation

<120> Method of inducing gene expression in plant and plant treated thereby

<130> T619.PBT-2

<150> JP2000-180466
<151> 2000-06-15

<160> 11

<210> 1
<211> 699
<212> DNA
<213> Streptomyces virginiae

<220>
<221> CDS
<222> (1)…(699)

<300>
<301> Okamoto, S., Nakamura, K., Nihira, T. and Yamada, Y.
<302> Virginiae butanolide binding protein from Streptomyces virginiae. Evidence that VbrA is not the virginiae butanolide binding protein and reidentification of the true binding protein
<303> The Journal of Biological Chemistry
<304> 270
<305> 20
<306> 12319-12326
<307> 1995-05-19
<308> D32251
<309> 1994-07-19

<400> 1
atg gca gtg cga cac gaa cgg gtg gca gtg cga cag gaa cgg gcc gtc 48

```
Met Ala Val Arg His Glu Arg Val Ala Val Arg Gln Glu Arg Ala Val
 1               5                  10                  15

cgc acg cgg cag gcg atc gtg cgg gca gcc gcc tcg gtc ttc gac gag      96
Arg Thr Arg Gln Ala Ile Val Arg Ala Ala Ala Ser Val Phe Asp Glu
            20                  25                  30

tac ggg ttc gag gcc gcc aca gtg gca gag atc ctc tcg cgg gcc tcg     144
Tyr Gly Phe Glu Ala Ala Thr Val Ala Glu Ile Leu Ser Arg Ala Ser
        35                  40                  45

gtc acc aag ggc gcg atg tac ttc cac ttc gct tcc aag gaa gag ctg     192
Val Thr Lys Gly Ala Met Tyr Phe His Phe Ala Ser Lys Glu Glu Leu
    50                  55                  60

gcc cgc ggc gtg ctg gcc gag cag acc ctg cac gtg gcg gtg ccg gaa     240
Ala Arg Gly Val Leu Ala Glu Gln Thr Leu His Val Ala Val Pro Glu
65                  70                  75                  80

tcc ggc tcc aag gcg cag gaa ctg gta gac ctc acc atg ctg gtc gcc     288
Ser Gly Ser Lys Ala Gln Glu Leu Val Asp Leu Thr Met Leu Val Ala
                85                  90                  95

cac ggc atg ctg cac gat ccg atc ctg cgg gcg ggc acg cgg ctc gca     336
His Gly Met Leu His Asp Pro Ile Leu Arg Ala Gly Thr Arg Leu Ala
            100                 105                 110

ctg gac cag ggg gcg gtg gac ttc tcc gac gcc aac ccg ttc ggc gag     384
Leu Asp Gln Gly Ala Val Asp Phe Ser Asp Ala Asn Pro Phe Gly Glu
        115                 120                 125

tgg ggc gac atc tgc gcc cag ctc ctg gcg gag gca cag gaa cgg ggg     432
Trp Gly Asp Ile Cys Ala Gln Leu Leu Ala Glu Ala Gln Glu Arg Gly
    130                 135                 140

gag gtg ctt ccg cac gtg aac ccg aaa aag acc ggc gac ttc atc gtc     480
Glu Val Leu Pro His Val Asn Pro Lys Lys Thr Gly Asp Phe Ile Val
145                 150                 155                 160
```

```
ggc tgc ttc acc ggg ctc cag gcg gtc tcc cgg gtc acc tcc gac cgc      528
Gly Cys Phe Thr Gly Leu Gln Ala Val Ser Arg Val Thr Ser Asp Arg
                165                 170                 175

cag gac ctc ggc cac cgg atc tcg gtg atg tgg aac cac gtg ctg ccc      576
Gln Asp Leu Gly His Arg Ile Ser Val Met Trp Asn His Val Leu Pro
            180                 185                 190

agc atc gtg ccg gcg tcc atg ctg acc tgg atc gaa acc ggc gag gag      624
Ser Ile Val Pro Ala Ser Met Leu Thr Trp Ile Glu Thr Gly Glu Glu
        195                 200                 205

cgg atc ggg aag gtc gcg gcg gcg gcc gag gcc gcc gag gct gcg gag      672
Arg Ile Gly Lys Val Ala Ala Ala Ala Glu Ala Ala Glu Ala Ala Glu
    210                 215                 220

gcc tcc gag gcc gcc tcc gac gag tag    699
Ala Ser Glu Ala Ala Ser Asp Glu
225                 230                 235
```

<210> 2
<211> 232
<212> PRT
<213> Streptomyces virginiae

<400> 2

```
Met Ala Val Arg His Glu Arg Val Ala Val Arg Gln Glu Arg Ala Val
  1               5                  10                  15

Arg Thr Arg Gln Ala Ile Val Arg Ala Ala Ala Ser Val Phe Asp Glu
            20                  25                  30

Tyr Gly Phe Glu Ala Ala Thr Val Ala Glu Ile Leu Ser Arg Ala Ser
        35                  40                  45

Val Thr Lys Gly Ala Met Tyr Phe His Phe Ala Ser Lys Glu Glu Leu
    50                  55                  60
```

Ala Arg Gly Val Leu Ala Glu Gln Thr Leu His Val Ala Val Pro Glu
65 70 75 80

Ser Gly Ser Lys Ala Gln Glu Leu Val Asp Leu Thr Met Leu Val Ala
85 90 95

His Gly Met Leu His Asp Pro Ile Leu Arg Ala Gly Thr Arg Leu Ala
100 105 110

Leu Asp Gln Gly Ala Val Asp Phe Ser Asp Ala Asn Pro Phe Gly Glu
115 120 125

Trp Gly Asp Ile Cys Ala Gln Leu Leu Ala Glu Ala Gln Glu Arg Gly
130 135 140

Glu Val Leu Pro His Val Asn Pro Lys Lys Thr Gly Asp Phe Ile Val
145 150 155 160

Gly Cys Phe Thr Gly Leu Gln Ala Val Ser Arg Val Thr Ser Asp Arg
165 170 175

Gln Asp Leu Gly His Arg Ile Ser Val Met Trp Asn His Val Leu Pro
180 185 190

Ser Ile Val Pro Ala Ser Met Leu Thr Trp Ile Glu Thr Gly Glu Glu
195 200 205

Arg Ile Gly Lys Val Ala Ala Ala Ala Glu Ala Ala Glu Ala Ala Glu
210 215 220

Ala Ser Glu Ala Ala Ser Asp Glu
225 230 235

<210> 3
<211> 26
<212> DNA
<213> Streptomyces virginiae

<300>
<301> Kinoshita, H., Tsuji, T., Ipposhi, H., Nihira, T. and Yamada, Y.
<302> Characterization of Binding Sequences for Butyrolactone Autoregulator Receptors in Streptomycetes
<303> Journal of Bacteriology
<304> 181
<305> 16
<306> 5075-5080
<307> 1999-08
<308> D32251
<309> 1994-07-19

<400> 3
agatacatac caaccggttc ttttga 26

<210> 4
<211> 110
<212> DNA
<213> Artificial Sequence

<220>
<223> Designed sequence of the CaMV 35S promoter modified to contain the operator BARE-3 element just downstream of its TATA-box

<400> 4
gatatctcca ctgacgtaag ggatgacgca caatcccact atccttcgca agacccttcc 60

tctatataag agatacatac caaccggttc ttttgacggg ggactctaga 110

<210> 5
<211> 110
<212> DNA
<213> Artificial Sequence

<220>
<223> Designed sequence of the CaMV 35S promoter modified to contain the operator BARE-3 element just upstream of its TATA-box

<400> 5
gatatctcca ctgacgtaag ggatgacgca caatcagata cataccaacc ggttcttttg 60

actatataag gaagttcatt tcatttggag agaacacggg ggactctaga 110

<210> 6
<211> 110
<212> DNA
<213> Artificial Sequence

<220>
<223> Designed sequence of the CaMV 35S promoter modified to contain the operator BARE-3 elements just downstream and upstream of its TATA-box

<400> 6
gatatctcca ctgacgtaag ggatgacgca caatcagata cataccaacc ggttcttttg 60

actatataag agatacatac caaccggttc ttttgacggg ggactctaga 110

<210> 7
<211> 136
<212> DNA
<213> Artificial Sequence

<220>
<223> Designed sequence of the CaMV 35S promoter modified to contain three of the operator BARE-3 elements just downstream and upstream of its TATA-box

<400> 7
gatatctcca ctgacgtaag ggatgacgca caatcagata cataccaacc ggttcttttg 60

actatataag agatacatac caaccggttc ttttgaagat acataccaac cggttctttt 120

gacgggggac tctaga 136

<210> 8
<211> 27

<212> DNA
<213> Artificial Sequence

<220>
<223> Designed sequence of a backward primer containing the restriction enzyme BamH I recognition sequence for PCR amplification of the barA gene coding region to be cloned by cut with the enzyme

<400> 8
taggatccat aaatggcagt gcgacac 27

<210> 9
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Designed sequence of a forward primer containing the restriction enzyme Sac I recognition sequence for PCR amplification of the barA gene coding region to be cloned by cut with the enzyme

<400> 9
tagagctcct actcgtcgga ggcggcc 27

<210> 10
<211> 67
<212> DNA
<213> Artificial Sequence

<220>
<223> Designed sequence of one of paired oligo DNAs for construction of the modified CaMV 35S promoter containing three of the operator BARE-3 elements just downstream and upstream of its TATA-box

<400> 10
cggatatctc cactgacgta agggatgacg cacaatcaga tacataccaa ccggttcttt 60

tgactat 67

<210> 11
<211> 89
<212> DNA
<213> Artificial Sequence

<220>
<223> Designed sequence of the other of paired oligo DNAs for construction of the modified CaMV 35S promoter containing three of the operator BARE-3 elements just downstream and upstream of its TATA-box

<400> 11
gctctagagt cccccgtcaa aagaaccggt tggtatgtat cttcaaaaga accggttggt 60

atgtatctct tatatagtca aaagaaccg 89